Subject: RE: 9247 B and X Line Comment Documents

Date: 1/25/2019 9:00 AM

From: "Chandler, Raechel" < ChandlR@wsdot.wa.gov>

To: "Cook, Jeff" < jeff.cook@hwlochner.com>

"James Ellingsen" < JEllingsen@hamil.com>, "Kathleen Wilcox" < KWilcox@hamil.com>, "Buck

Allen" <BAllen@hamil.com>, "Holyoak, Kirk" <HolyoaK@wsdot.wa.gov>, "Golbek, Scott"

<GolbekS@wsdot.wa.gov>, "Scully, Madison" <ScullyM@wsdot.wa.gov>, "Flores, Candice"

<FloresC@wsdot.wa.gov>

Jeff ∼

Cc:

The posted speed of Main Street is 35 mph.

For the X line, WSDOT requires a minimum design speed of 35 mph. See Design Manual Section 1360.03(1) and Design Manual Exhibit 1360-4 for the ramp design speed and for the acceleration length shall be per see Design Manual Exhibit 1360-9.

For the B Line, WSDOT requires a minimum design speed of 35 mph to be carried across the bridge to a location deemed appropriate by your engineers to transition into the loop ramp.

I have attached an updated exhibit with depicting the information above. Once the design has been updated, WSDOT recommends a Task Force/OTS to review the alignments.

Best,

## Raechel Chandler, P.E.

Transportation Engineer 2 2809 Rudkin Road Union Gap, WA 98903 Desk 509-577-1757

Cell: 509-480-9841

Email: chandlr@wsdot.wa.gov

From: Cook, Jeff <jeff.cook@hwlochner.com>
Sent: Thursday, January 24, 2019 3:33 PM
To Chandler Beach & Chandle Quadratus and

To: Chandler, Raechel < ChandlR@wsdot.wa.gov>

Cc: James Ellingsen <JEllingsen@hamil.com>; Kathleen Wilcox <KWilcox@hamil.com>; Buck Allen <BAllen@hamil.com>

Subject: RE: 9247\_B and X Line Comment Documents

Rachael,

Following up our discussion on Tuesday regarding design speeds, WSDOT was going to send an email graphically depicting the 35mph and 25mph design speed areas; same layout, different figures as that sent on January 17.

I have not yet seen those sheets. Did I miss an email, or are they forthcoming?

Thank you.

## Jeff Cook, PE

Senior Project Manager









